







## 1/4"-28 Taper Grease Fittings







SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">H-100</a>	1/4"-28 SAE STRAIGHT	1	35/64"	3/16"	5/16"	1641-B	5010
<a href="#">H-100-RLA</a>	1/4"-28 SAE LONG THREAD	4	11/16"	23/64"	5/16"	1652-B	5013
<a href="#">H-100-LMA</a>	1/4"-28 SAE MEDIUM LONG	4	31/32"	5/8"	5/16"	1680-B	5014
<a href="#">H-100-LA</a>	1/4"-28 SAE LONG	4	1-1/8"	25/32"	5/16"	1698-B	5017
<a href="#">H-100-LLA</a>	1/4"-28 STRAIGHT VERY LONG	4	1-5/8"	1"	5/16"	3014-B	N/A
<a href="#">H-145</a>	1/4"-28 SAE 45 DEGREE	2	27/32"	7/32"	3/8"	1637-B1	5210
<a href="#">H-165</a>	1/4"-28 SAE 65 DEGREE	2	3/4"	7/32"	3/8"	N/A	5311
<a href="#">H-165-RL</a>	1/4"-28 65° LONG THREAD	2	13/16"	19/64"	3/8"	3010-B1	700396
<a href="#">H-190-A</a>	1/4"-28 SAE 90 DEGREE	3	3/4"	7/32"	3/8"	1911-B1	5410

## 1/4"-28 Straight Grease Fittings




SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">H-100-28</a>	1/4"-28 UNF-2A STRAIGHT	1	33/64"	5/32"	9/32"	1792-B	5527
<a href="#">H-145-CU</a>	1/4"-28 UNF-2A 45 DEGREE	2	41/64"	1/8"	3/8"	1770-B1	N/A
<a href="#">H-100-28-C</a>	1/4"-28 UNF-2A STRAIGHT	1	7/16"	1/8"	5/16"	369609	N/A
<a href="#">H-100-28-LA</a>	1/4"-28 UNF-2A STRAIGHT	1	17/32"	3/16"	17/32"	333330	N/A

## 1/8" NPT Grease Fittings




SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">H-200-C</a>	1/8"-PTF STRAIGHT SHORT	1	9/16"	15/64"	7/16"	1644-B	N/A
<a href="#">H-200</a>	1/8"-PTF STRAIGHT	1	21/32"	1/4"	7/16"	1610-BL	5000
<a href="#">H-200-B</a>	<b>1/8"- NPT STRAIGHT (BRASS)</b>	1	15.0mm	5.5mm	7mm	NA	NA
<a href="#">H-200-CT</a>	1/8"-PTF STRAIGHT WITH CAP	1	25/32"	9/32"	9/16"	N/A	N/A
<a href="#">H-200-SB</a>	1/8"-PTF STRAIGHT, NO BALL	1	21/32"	1/4"	7/16"	N/A	N/A
<a href="#">H-200-LM</a>	1/8"-PTF MEDIUM LONG	4	1-1/4"	25/32"	7/16"	1607-B	5003
<a href="#">H-200-LA</a>	1/8"-PTF LONG	4	1-3/4"	1-15/64"	7/16"	1669-B	5007
<a href="#">H-200-LLA</a>	1/8"-PTF VERY LONG	4	2-5/8"	2-1/32"	7/16"	1684-B	5009
<a href="#">H-200-RL</a>	1/8"-PTF LONG THREAD	4	3/4"	11/32"	7/16"	N/A	N/A
<a href="#">H-200-RI</a>	1/8"-NPTF INTERNAL THREAD	N/A	1"	5/16"	1/2"	1618-B	5505
<a href="#">H-200-DR</a>	1/8"-PTF STR. DUSTPROOF	N/A	1"	5/16"	7/16"	1958	N/A
<a href="#">H-230</a>	1/8"-PTF 30 DEGREE	2	15/16"	19/64"	7/16"	1611-B	6004
<a href="#">H-230-LMA</a>	1/8"-PTF 30° MED.LONG	2	2"	1-1/4"	7/16"	1638-B	5200
<a href="#">H-245</a>	1/8"-PTF 45 DEGREE	2	27/32"	19/64"	7/16"	1688-B	5200
<a href="#">H-245-RI</a>	1/8"-NPTF 45° FEMALE THRD	N/A	1-1/8"	13/32"	7/16"	1620-B	N/A
<a href="#">H-265-A</a>	1/8"-PTF 65 DEGREE	2	27/32"	19/64"	7/16"	1612-B	5300
<a href="#">H-265-LM</a>	1/8"-PTF 65° MED. LONG	2	1-7/32"	9/16"	7/16"	1623-B	N/A
<a href="#">H-265-LLA</a>	1/8"-PTF 65° VERY LONG	2	2-3/4"	2-1/4"	3/8"	1649	N/A
<a href="#">H-290</a>	1/8"-PTF 90 DEGREE	3	53/64"	19/64"	7/16"	1613-B	5400
<a href="#">H-290-LMA</a>	1/8"-PTF 90 MEDIUM LONG	3	1-13/16"	1-1/4"	7/16"	1606-B	N/A

## 1/4" PTF Grease Fittings




<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
<a href="#">H-300</a>	1/4"-PTF	1	53/64"	3/8"	9/16"	1627-B	5050
H-345	1/4"-PTF 45 DEGREE	2	1-11/64"	3/8"	9/16"	N/A	N/A
<a href="#">H-365</a>	1/4"-PTF 65 DEGREE	2	1-1/16"	3/8"	9/16"	1629-B	5350
<a href="#">H-390</a>	1/4"-PTF 90 DEGREE	3	15/16"	3/8"	9/16"	1629-C	N/A

## 1/4" -28 Thread Forming Grease Fittings



SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">H-100-GM</a>	1/4"-28 STRAIGHT	1	9/16"	13/64"	5/16"	3038-B	205010
<a href="#">H-100-GMSB</a>	1/4"-28 STRAIGHT , NO BALL	1	9/16"	13/64"	5/16"	N/A	N/A
<a href="#">H-100-C-GM</a>	1/4"-28 STRAIGHT SHORT	1	.51	.12	9/32"	369582	N/A
<a href="#">H-100-LMA-GM</a>	1/4"-28, STRAIGHT MED. LONG	1	.97	.21	5/16"	369584	N/A
<a href="#">H-100-GMRL</a>	1/4"-28 LONG	1	5/16"	3/16"	9/32"	N/A	N/A
<a href="#">H-100-GMPL</a>	1/4"-28 PLUG	1	5/16"	3/16"	9/32"	328435	700337
<a href="#">H-145-GM</a>	1/4"-28 45 DEGREE	2	13/16"	3/16"	3/8"	3053-B	205210
<a href="#">H-190-GM</a>	1/4"-28 90 DEGREE	3	23/32"	13/64"	3/8"	3054-B	205410

## 1/8" PTF Thread Forming Grease Fittings




SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">H-200-GM</a>	1/8" PTF STRAIGHT	1	5/8"	1/4"	7/16"	1720-B	205000
<a href="#">H-200-LMA-GM</a>	1/8" PTF STRAIGHT MED. LONG	1	.68	.21	7/16"	369579	N/A
<a href="#">H-245-GM</a>	1/8" PTF 45 DEGREE	2	27/32"	13/64"	7/16"	1724-B	5300
<a href="#">H-265-GM</a>	1/8" PTF 65 DEGREE	2	3/4"	13/64"	7/16"	1722-B	N/A
<a href="#">H-290-GM</a>	1/8" PTF 90 DEGREE	3	3/4"	13/64"	7/16"	1723-B	205400




**Lubrication & Fluid Handling Solutions**

## 6 MM Thread Forming Grease Fittings




<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
M6-1-GM	6MM X 1MM / STRAIGHT	1	15.0mm	5.5mm	7mm	N/A	N/A
M6-45-GM	6MM X 1MM / 45 DEGREE	2	20.2mm	5.5mm	9mm	N/A	N/A
M6-90-GM	6MM X 1MM / 90 DEGREE	3	18.0mm	5.5mm	9mm	N/A	N/A

## 8MM Thread Forming Grease Fittings




<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
M8-1-GM	8MM X 1MM / STRAIGHT	1	15.0mm	5.5mm	9mm	N/A	N/A
M8-45-GM	8MM X 1MM / 45 DEGREE	2	20.2mm	5.5mm	9mm	N/A	N/A
M8-90-GM	8MM X 1MM / 90 DEGREE	3	18.0mm	5.5mm	9mm	N/A	N/A

## 10 MM Thread Forming Grease Fittings




<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
M10-1-GM	10MM X 1MM / STRAIGHT	1	15.0mm	5.5mm	11mm	N/A	N/A
M10-1-GML	10MM X 1MM / STRAIGHT	1	18.0mm	8.0mm	11mm	N/A	N/A
M10-45-GM	10MM X 1MM / 45 DEGREE	2	20.5mm	5.5mm	11mm	N/A	N/A
M10-90-GM	10MM X 1MM / 90 DEGREE	3	18.0mm	5.5mm	11mm	N/A	N/A

## Metric Thread Forming Flush Type Grease Fittings




<u>SAE Number</u>	<u>Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>
M6-1-GMF	6MM X 1MM THREAD FORMING FLUSH TYPE	6	8.5mm	5.5mm	7mm
M8-1-GMF	8MM X 1MM THREAD FORMING FLUSH TYPE	6	8.5mm	5.5mm	9mm
M10-1-GMF	10MM X 1MM THREAD FORMING FLUSH TYPE	6	8.5mm	5.5mm	11mm

## 1/4" Drive Type Grease Fittings




<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
<a href="#">K-14A</a>	1/4"-DRIVE	7	35/64"	1/4"	5/16"	1743-B	5029
<a href="#">K-14-SBA</a>	1/4"-DRIVE, NO BALL	7	35/64"	1/4"	11/32"	321381	5044
<a href="#">K-14-CSBA</a>	1/4"-DRIVE SHORT, NO BALL	7	.473	1/8"	-	N/A	N/A
<a href="#">K-14-CCSBA</a>	1/4"- EXT. SHORT, NO BALL	7	15/32"	1/8"	11/32"	1952	700313
<a href="#">K-14-65-N</a>	1/4"-DRIVE 65 DEGREE	9	49/64"	9/32"	1/4"	1744	5318

## 1/8" Drive Type Grease Fittings




<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
<a href="#">K-18-SBA</a>	1/8"-DRIVE, NO BALL CHECK	7	9/16"	1/4"	5/16"	1736	N/A
<a href="#">K-18-CSBA</a>	1/8"-DRIVE SHORT, NO BALL	7	15/32"	5/32"	5/16"	3019	N/A

## 3/16" Drive Type Grease Fittings



SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">K-316-A</a>	3/16"-DRIVE	7	33/64"	1/4"	5/16"	1728-B	5033
<a href="#">K-316-CC</a>	3/16"-DRIVE, EXTRA SHORT	7	25/64"	7/64"	5/16"	N/A	N/A
<a href="#">K-316-CSBA</a>	3/16"-DRIVE SHORT, NO BALL	7	.484"	.219"	9/32"	3006	N/A
<a href="#">K-316-CCSBA</a>	3/16"- EXTRA SHORT, NO BALL	7	.390"	.105"	5/16"	3009	N/A
<a href="#">K-316-MSBA</a>	3/16"- MED. SHORT, NO BALL	7	.468"	.172"	5/16"	3005	700375
<a href="#">K-316-SBA</a>	3/16"-DRIVE, NO BALL	7	5/8"	1/4"	5/16"	1633	5026
<a href="#">K-316-45-N</a>	3/16"-DRIVE 45 DEGREE	8	53/64"	7/32"	3/16"	1992-B1	N/A
<a href="#">K-316-65-N</a>	3/16"-DRIVE 65 DEGREE	9	23/32"	7/32"	3/8"	1646-B1	5385


## 3/8" Drive Type Grease Fittings



SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">K-38</a>	3/8"- DRIVE	7	37/64"	7/32"	7/16"	N/A	N/A
<a href="#">K-38-SBA</a>	3/8"-DRIVE, NO BALL	7	37/64"	7/32"	7/16"	1666	5036




## 5/16" Drive Type Grease Fittings




<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
<a href="#">K-516-N</a>	5/16"-DRIVE	7	9/16	17/64"	3/8"	1608-B	5031
<a href="#">K-516-65-N</a>	5/16"-DRIVE 65 DEGREE	9	23/32"	7/32"	3/8"	1630-B1	N/A
<a href="#">K-516-SBA</a>	5/16"-DRIVE, NO BALL	7	5/8"	7/32"	3/8"	1699	5030

## Metric Drive Type Grease Fittings




<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
K-M635	6.35 MM DRIVE	7	15MM	6.3MM	8MM	N/A	N/A
K-M476	4.76 MM DRIVE	7	15MM	6.3MM	8MM	N/A	N/A

## 1/4"-28" Stainless Grease Fittings




<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
<a href="#">H-100-SS-AM</a>	1/4"-28 SAE STRAIGHT	1	.54"	.20"	5/16"	Alemite 1966-S	5010-9
<a href="#">H-145-SS-AM</a>	1/4"-28 45 DEGREE	2	.88"	.20"	3/8"	Alemite 1968-S	5210-9
<a href="#">H-190-SS-AM</a>	1/4"-28 90 DEGREE	3	.69"	.20"	3/8"	Alemite 1969-S	5410-

## 1/8" PTF Stainless Grease Fittings




<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
<a href="#">H-200-SS-AM</a>	1/8"-PTF STRAIGHT	1	.62"	.25"	7/16"	Alemite 1961-S	5000-9
<a href="#">H-230-SS-AM</a>	1/8"-PTF 30 DEGREE	2	1.25"	.34"	7/16"	Alemite 1921-S	N/A
<a href="#">H-245-SS-AM</a>	1/8"-PTF 45 DEGREE	2	.97"	.27"	7/16"	Alemite No. N/A	N/A
<a href="#">H-267-SS-AM</a>	1/8"-PTF 67 1/2 DEGREE	2	.95"	.34"	7/16"	Alemite 1922-S	N/A
<a href="#">H-290-SS-AM</a>	1/8"-PTF 90 DEGREE	3	.82"	.27"	7/16"	Alemite 1923-S	N/A

## 1/4" PTF Stainless Grease Fittings




SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">H-300-SS-AM</a>	1/4"-PTF STRAIGHT	1	.82"	.35"	9/16"	N/A	N/A
<a href="#">H-345-SS-AM</a>	1/4"-PTF 45 DEGREE	2	1.11"	.34"	9/16"	N/A	N/A
<a href="#">H-390-SS-AM</a>	1/4"-PTF 90 DEGREE	3	.93"	.34"	9/16"	N/A	N/A

## 1/4" Drive Stainless Grease Fittings




SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">K-14-SS-AM</a>	1/4" - DRIVE	6	.50"	.21"	5/16"	N/A	N/A

## 3/16" Drive Stainless Grease Fittings




SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">K-316-SS-AM</a>	3/16"-DRIVE	6	.50"	.21"	5/16"	N/A	5033-9

## 5 MM Stainless Grease Fittings




SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
M5-8-1-SS	5MM X .8MM / STRAIGHT	1	15.0mm	5.5mm	7mm	N/A	N/A

## 6 MM Stainless Grease Fittings




SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">M6-1-SS-AM</a>	6MM X 1MM / STRAIGHT	1	13.2mm	5.2mm	7mm	N/A	N/A
M6-75-1-SS	6MM X .75MM / STRAIGHT	1	15.0mm	5.5mm	7mm	N/A	N/A
<a href="#">M6-45-SS-AM</a>	6MM X 1MM / 45 DEGREE	2	22.6mm	5.5mm	9mm	N/A	N/A
<a href="#">M6-90-SS-AM</a>	6MM X 1MM / 90 DEGREE	3	18.0mm	5.5mm	9mm	N/A	N/A

## 8MM Stainless Grease Fittings




SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">M8-1-SS-AM</a>	8MM X 1MM / STRAIGHT	1	14.9mm	5.8mm	9mm	N/A	N/A
M8-125-1-SS	8MM X 1.25MM / STRAIGHT	1	15.0mm	5.5mm	9mm	N/A	N/A
<a href="#">M8-45-SS-AM</a>	8MM X 1MM / 45 DEGREE	2	22.4mm	5.5mm	9mm	N/A	N/A
M8-125-45-SS	8MM X 1.25MM / 45 DEGREE	2	23.5mm	5.5mm	9mm	N/A	N/A
<a href="#">M8-90-SS-AM</a>	8MM X 1MM / 90 DEGREE	3	17.8mm	5.5mm	9mm	N/A	N/A
M8-125-90-SS	8MM X 1.25MM / 90 DEGREE	3	18.0mm	5.5mm	9mm	N/A	N/A

## 10 MM Stainless Grease Fittings




SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">M10-1-SS-AM</a>	10MM X 1MM / STRAIGHT	1	15.2mm	5.8mm	11mm	N/A	N/A
<a href="#">M10-45-SS-AM</a>	10MM X 1MM / 45 DEGREE	2	23.1mm	5.5mm	11mm	N/A	N/A
<a href="#">M10-90-SS-AM</a>	10MM X 1MM / 90 DEGREE	3	19.0mm	5.5mm	11mm	N/A	N/A

## 12 MM Stainless Grease Fittings




SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">M12-15-1-SS</a>	12MM X 1.5MM / STRAIGHT	3	17.5mm	6.5mm	14mm	N/A	N/A

## Metric Button Head Stainless Steel Grease Fittings




SAE Number	Description	FIG	A	B	C	X
M6-1-CB-SS	6MM X 1MM STAINLESS STEEL BUTTON	14	17.0mm	6mm	16mm	17mm
M8-1-CB-SS	8MM X 1MM STAINLESS STEEL BUTTON	14	17.0mm	6mm	16mm	17mm
M8-125-CB-SS	8MM X 1.25MM STAINLESS STEEL BUTTON	14	17.0mm	6mm	16mm	17mm
M10-1-CB-SS	10MM X 1MM STAINLESS STEEL BUTTON	14	17.0mm	6mm	16mm	17mm
M12-15-CB-SS	12MM X 1.5MM STAINLESS STEEL BUTTON	14	17.0mm	6mm	16mm	17mm
M12-175-CB-SS	12MM X 1.75MM STAINLESS STEEL BUTTON	14	17.0mm	6mm	16mm	17mm

## Metric Stainless Steel Flush Type Grease Fittings



SAE Number	Description	FIG	A	B	X
M6-1-FS	6MM X 1MM FLUSH TYPE / STAINLESS STEEL	15	8.5mm	5.5mm	7mm
M8-1-FS	8MM X 1MM FLUSH TYPE / STAINLESS STEEL	15	9.5mm	6.5mm	9mm
M10-1-FS	10MM X 1MM FLUSH TYPE / STAINLESS STEEL	15	9.5mm	6.5mm	11mm


## Monel Grease Fittings



<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
<a href="#">H-100-MONEL</a>	1/4"-28 SAE STRAIGHT	1	17/32"	3/16"	5/16"	Alemite 1966-B	N/A
<a href="#">H-145-MONEL</a>	1/4"-28 SAE 45°	2	13/16"	13/64"	5/8"	Alemite 1968-B	N/A
<a href="#">H-190-MONEL</a>	1/4"-28 SAE 90 DEGREE	3	3/4"	13/64"	3/8"	Alemite 1969-B	N/A
<a href="#">H-200-MONEL</a>	1/8"-PTF STRAIGHT	1	3/4"	5/16"	7/16"	Alemite 1961-B	N/A
<a href="#">H-200-C-MONEL</a>	1/8"-PTF STR. SHORT	1	5/8"	9/32"	7/16"	Alemite1962-B	N/A
<a href="#">H-230-MONEL</a>	1/8"-PTF 30 DEGREE	2	1-1/4"	11/32"	7/16"	Alemite 1921-B	N/A
<a href="#">H-267-MONEL</a>	1/8"-PTF 67 1/2 DEGREE	2	61/64"	11/32"	7/16"	Alemite 1922-B	N/A
<a href="#">H-290-MONEL</a>	1/8"-PTF 90 DEGREE	3	7/8"	11/32"	7/16"	Alemite 1923-B	N/A

Monel Grease Fittings withstand the most severe corrosive environments. Monel is a nickel/copper alloy that is highly resistant to corrosion. Monel grease fittings offer greater corrosion resistance than stainless steel.

## 5 MM GREASE FITTINGS




SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">M5-8-1</a>	5MM X .8MM / STRAIGHT	1	15.0mm	5.5mm	7mm	NA	NA
<a href="#">M5-8-B</a>	5MM X .8MM / STRAIGHT (BRASS)	1	15.0mm	5.5mm	7mm	NA	NA
<a href="#">M5-8-1-SS</a>	5MM X .8MM / STRAIGHT (STAINLESS)	1	15.0mm	5.5mm	7mm	NA	NA
<a href="#">M5-8-45-L</a>	5MM X .8MM / 45 DEGREE	2	23.5mm	5.5mm	9mm	NA	NA
<a href="#">M5-8-45</a>	5MM X .8MM / 45 DEGREE	2	18.0mm	5.5mm	9mm	NA	NA
<a href="#">M5-8-90</a>	5MM X .8MM / 90 DEGREE	3	18.0mm	5.5mm	9mm	NA	NA

## 6 MM GREASE FITTINGS

SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">M6-75-1</a>	6MM X .75MM / STRAIGHT	1	15.0mm	5.5mm	7mm	NA	NA
<a href="#">M6-75-B</a>	6MM X .75MM / STRAIGHT (BRASS)	1	15.0mm	5.5mm	7mm	NA	NA
<a href="#">M6-75-1-SS</a>	6MM X .75MM / STRAIGHT (STAINLESS)	1	15.0mm	5.5mm	7mm	NA	NA
<a href="#">M6-75-45</a>	6MM X .75MM / 45 DEGREE	2	23.5mm	5.5mm	9mm	NA	NA
<a href="#">M6-75-90</a>	6MM X .75MM / 90 DEGREE	3	18.0mm	5.5mm	9mm	NA	NA
<a href="#">M6-1-AM</a>	6MM X 1MM / STRAIGHT	1	13.5mm	4.6mm	7mm	2106	5175
<a href="#">M6-1-B</a>	6MM X 1MM / STRAIGHT (BRASS)	1	15.0mm	5.5mm	7mm	NA	NA
<a href="#">M6-1-SS-AM</a>	6MM X 1MM / STRAIGHT (STAINLESS)	1	13.2mm	5.2mm	7mm	N/A	N/A
<a href="#">M6-45-AM</a>	6MM X 1MM / 45 DEGREE	2	22.6mm	5.5mm	9mm	2107	5176
<a href="#">M6-1-45-B</a>	6MM X 1MM / 45 DEGREE (BRASS)	2	23.5mm	5.5mm	9mm	NA	NA
<a href="#">M6-45-SS-AM</a>	6MM X 1MM / 45 DEGREE (STAINLESS)	2	22.6mm	5.5mm	9mm	N/A	N/A
<a href="#">M6-90-AM</a>	6MM X 1MM / 90 DEGREE	3	18.0mm	5.5mm	9mm	2108	5177
<a href="#">M6-1-90-B</a>	6MM X 1MM / 90 DEGREE (BRASS)	3	18.0mm	5.5mm	9mm	NA	NA
<a href="#">M6-90-SS-AM</a>	6MM X 1MM / 90 DEGREE (STAINLESS)	3	18.0mm	5.5mm	9mm	N/A	N/A




## 8 MM GREASE FITTINGS




<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
<a href="#">M8-75-1</a>	8MM X .75MM / STRAIGHT	1	15.0mm	5.5mm	9mm	NA	NA
<a href="#">M8-75-45</a>	8MM X .75MM / 45 DEGREE	2	23.5mm	5.5mm	9mm	NA	NA
<a href="#">M8-75-90</a>	8MM X .75MM / 90 DEGREE	3	18.0mm	5.5mm	9mm	NA	NA
<a href="#">M8-1-AM</a>	8MM X 1MM / STRAIGHT	1	14.7mm	5.6mm	9mm	2103	5178
<a href="#">M8-1-B</a>	8MM X 1MM / STRAIGHT (BRASS)	1	15.0mm	5.5mm	9mm	NA	NA
<a href="#">M8-1-SS-AM</a>	8MM X 1MM / STRAIGHT (STAINLESS)	1	14.9mm	5.8mm	9mm	N/A	N/A
<a href="#">M8-45-AM</a>	8MM X 1MM / 45 DEGREE	2	22.4mm	5.5mm	9mm	2104	5179
<a href="#">M8-1-45-B</a>	8MM X 1MM / 45 DEGREE (BRASS)	2	23.5mm	5.5mm	9mm	NA	NA
<a href="#">M8-45-SS-AM</a>	8MM X 1MM / 45 DEGREE (STAINLESS)	2	22.4mm	5.5mm	9mm	N/A	N/A
<a href="#">M8-1-67</a>	8MM X 1MM / 67 DEGREE	2	20.5mm	5.5mm	9mm	NA	NA
<a href="#">M8-90-AM</a>	8MM X 1MM / 90 DEGREE	3	17.8mm	5.5mm	9mm	2105	5180
<a href="#">M8-1-90-B</a>	8MM X 1MM / 90 DEGREE (BRASS)	3	18.0mm	5.5mm	9mm	NA	NA
<a href="#">M8-90-SS-AM</a>	8MM X 1MM / 90 DEGREE (STAINLESS)	3	17.8mm	5.5mm	9mm	N/A	N/A
<a href="#">M8-125-1</a>	8MM X 1.25MM / STRAIGHT	1	15.0mm	5.5mm	9mm	NA	NA
<a href="#">M8-125-B</a>	8MM X 1.25MM / STRAIGHT (BRASS)	1	15.0mm	5.5mm	9mm	NA	NA
<a href="#">M8-125-1-SS</a>	8MM X 1.25MM / STRAIGHT (STAINLESS)	1	15.0mm	5.5mm	9mm	N/A	N/A
<a href="#">M8-125-45</a>	8MM X 1.25MM / 45 DEGREE	2	23.5mm	5.5mm	9mm	NA	NA
<a href="#">M8-125-45-B</a>	8MM X 1.25MM / 45 DEGREE (BRASS)	2	23.5mm	5.5mm	9mm	NA	NA
<a href="#">M8-125-45-SS</a>	8MM X 1.25MM / 45 DEG.(STAINLESS)	2	23.5mm	5.5mm	9mm	N/A	N/A
<a href="#">M8-125-67</a>	8MM X 1.25MM / 67 DEGREE	2	20.5mm	5.5mm	9mm	N/A	N/A
<a href="#">M8-125-90</a>	8MM X 1.25MM / 90 DEGREE	3	18.0mm	5.5mm	9mm	NA	NA
<a href="#">M8-125-90-B</a>	8MM X 1.25MM / 90 DEGREE	3	18.0mm	5.5mm	9mm	N/A	N/A
<a href="#">M8-125-90-SS</a>	8MM X 1.25MM / 90 DEG.(STAINLESS)	3	18.0mm	5.5mm	9mm	N/A	N/A

## 10 MM GREASE FITTINGS



<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
<a href="#">M10-1-AM</a>	10MM X 1MM / STRAIGHT	1	15.2mm	5.9mm	11mm	2109	5181
<a href="#">M10-1-B</a>	10MM X 1MM / STRAIGHT (BRASS)	1	15.0mm	5.5mm	11mm	NA	NA
<a href="#">M10-1-SS-AM</a>	10MM X 1MM / STRAIGHT (STAINLESS)	1	15.2mm	5.8mm	11mm	N/A	N/A
<a href="#">M10-45-AM</a>	10MM X 1MM / 45 DEGREE	2	23.5mm	5.5mm	11mm	2110	5182
<a href="#">M10-1-45-B</a>	10MM X 1MM / 45 DEGREE (BRASS)	2	25.0mm	5.5mm	11mm	NA	NA
<a href="#">M10-45-SS-AM</a>	10MM X 1MM / 45 DEGREE (STAINLESS)	2	23.1mm	5.5mm	11mm	N/A	N/A
<a href="#">M10-90-AM</a>	10MM X 1MM / 90 DEGREE	3	19.0mm	5.5mm	11mm	2111	5183
<a href="#">M10-1-90-B</a>	10MM X 1MM / 90 DEGREE (BRASS)	3	20.0mm	5.5mm	11mm	NA	NA
<a href="#">M10-90-SS-AM</a>	10MM X 1MM / 90 DEGREE (STAINLESS)	3	19.0mm	5.5mm	11mm	N/A	N/A
<a href="#">M10-125-1</a>	10MM X 1.25MM / STRAIGHT	1	15.0mm	5.5mm	11mm	NA	NA
<a href="#">M10-125-45</a>	10MM X 1.25MM / 45 DEGREE	2	25.0mm	5.5mm	11mm	NA	NA
<a href="#">M10-125-90</a>	10MM X 1.25MM / 90 DEGREE	3	20.0mm	5.5mm	11mm	NA	NA
<a href="#">M10-15-1</a>	10MM X 1.5MM / STRAIGHT	1	15.0mm	5.5mm	11mm	NA	NA
<a href="#">M10-15-45</a>	10MM X 1.5MM / 45 DEGREE	2	25.0mm	5.5mm	11mm	NA	NA
<a href="#">M10-15-90</a>	10MM X 1.5MM / 90 DEGREE	3	20.0mm	5.5mm	11mm	NA	NA

## 12 MM GREASE FITTINGS




SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">M12-1-1</a>	12MM X 1MM / STRAIGHT	1	17.5mm	6.5mm	14mm	NA	NA
<a href="#">M12-1-90</a>	12MM X 1MM / 90 DEGREE	3	22.0mm	6.5mm	14mm	NA	NA
<a href="#">M12-125-1</a>	12MM X 1.25MM / STRAIGHT	1	17.5mm	6.5mm	14mm	NA	NA
<a href="#">M12-15-1</a>	12MM X 1.5MM / STRAIGHT	1	17.5mm	6.5mm	14mm	NA	NA
<a href="#">M12-15-B</a>	12MM X 1.5MM / STRAIGHT (BRASS)	1	17.5mm	6.5mm	14mm	NA	NA
<a href="#">M12-15-1-SS</a>	12MM X 1.5MM / STRAIGHT (STAINLESS)	3	17.5mm	6.5mm	11mm	N/A	N/A
<a href="#">M12-15-45</a>	12MM X 1.5MM / 45 DEGREE	2	22.5mm	6.5mm	14mm	NA	NA
<a href="#">M12-15-90</a>	12MM X 1.5MM / 90 DEGREE	3	22.0mm	6.5mm	14mm	NA	NA
<a href="#">M12-175-1</a>	12MM X 1.75MM / STRAIGHT	1	17.5mm	6.5mm	14mm	NA	NA
<a href="#">M12-175-90</a>	12MM X 1.75MM / 90 DEGREE	3	22.0mm	6.5mm	14mm	NA	NA

## 16 MM GREASE FITTINGS


SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">M16-15-1</a>	16MM X 1.5MM / STRAIGHT	1	18.0mm	7.0mm	17mm	NA	NA
<a href="#">M16-15-45</a>	16MM X 1.5MM / 45 DEGREE	2	25.5mm	7.0mm	17mm	NA	NA

## Metric Drive Type Fittings



SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">K-M635</a>	6.35 MM DRIVE TYPE	7	15mm	6.3mm	8mm	N/A	N/A
<a href="#">K-M476</a>	4.76 MM DRIVE TYPE	7	15mm	6.3mm	8mm	N/A	N/A

## Metric Thread Forming Grease Fittings



## 6 MM Thread Forming Grease Fittings

SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">M6-1-GM</a>	6MM X 1MM / STRAIGHT	1	15.0mm	5.5mm	7mm	N/A	N/A
<a href="#">M6-45-GM</a>	6MM X 1MM / 45 DEGREE	2	20.2mm	5.5mm	9mm	N/A	N/A
<a href="#">M6-90-GM</a>	6MM X 1MM / 90 DEGREE	3	18.0mm	5.5mm	9mm	N/A	

## 8 MM Thread Forming Grease Fittings

SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">M8-1-GM</a>	8MM X 1MM / STRAIGHT	1	15.0mm	5.5mm	9mm	N/A	N/A
<a href="#">M8-45-GM</a>	8MM X 1MM / 45 DEGREE	2	20.2mm	5.5mm	9mm	N/A	N/A
<a href="#">M8-90-GM</a>	8MM X 1MM / 90 DEGREE	3	18.0mm	5.5mm	9mm	N/A	N/A

## 10 MM Thread Forming Grease Fittings

SAE Number	Grease Fitting Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">M10-1-GM</a>	10MM X 1MM / STRAIGHT	1	15.0mm	5.5mm	11mm	N/A	N/A
<a href="#">M10-1-GML</a>	10MM X 1MM / STRAIGHT	1	18.0mm	8.0mm	11mm	N/A	N/A
<a href="#">M10-45-GM</a>	10MM X 1MM / 45 DEGREE	2	20.5mm	5.5mm	11mm	N/A	N/A
<a href="#">M10-90-GM</a>	10MM X 1MM / 90 DEGREE	3	18.0mm	5.5mm	11mm	N/A	N/A

## Metric Plugs

FIG 6



<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
<a href="#">M6-1-P</a>	6MM X 1MM PLUG	6	8.5mm	5.5mm	7mm	N/A	N/A
<a href="#">M6-1-GMP</a>	6MM X 1MM THREAD FORMING PLUG	6	8.5mm	5.5mm	7mm	N/A	N/A
<a href="#">M8-1-P</a>	8MM X 1MM PLUG	6	8.5mm	5.5mm	9mm	N/A	N/A
<a href="#">M8-1-GMP</a>	8MM X 1MM THREAD FORMING PLUG	6	8.5mm	5.5mm	9mm	N/A	N/A
<a href="#">M10-1-P</a>	10MM X 1MM PLUG	6	8.5mm	5.5mm	11mm	N/A	N/A
<a href="#">M10-1-GMP</a>	10MM X 1MM THREAD FORMING PLUG	6	8.5mm	5.5mm	11mm	N/A	N/A

## Metric Thread Forming Flush type Grease Fittings


FIG 6



<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>	<u>Alemite #</u>	<u>Lincoln #</u>
<a href="#">M6-1-GMF</a>	6MM X 1MM THREAD FORMING FLUSH TYPE	6	8.5mm	5.5mm	7mm		
<a href="#">M8-1-GMF</a>	8MM X 1MM THREAD FORMING FLUSH TYPE	6	8.5mm	5.5mm	9mm		
<a href="#">M10-1-GMF</a>	10MM X 1MM THREAD FORMING FLUSH TYPE	6	8.5mm	5.5mm	11mm		


## Metric Flush Type Grease Fittings

FIG 15




SAE Number	Grease Fitting Description	FIG	A	B	
<a href="#">M6-75-F</a>	6MM X .75MM FLUSH TYPE	15	8.5mm	5.5mm	7mm
<a href="#">M6-1-F</a>	6MM X 1MM FLUSH TYPE	15	8.5mm	5.5mm	7mm
<a href="#">M6-1-FB</a>	6MM X 1MM / STRAIGHT (BRASS)	15	8.5mm	5.5mm	7mm
<a href="#">M6-1-FS</a>	6MM X 1MM FLUSH TYPE (STAINLESS STEEL)	15	8.5mm	5.5mm	7mm
<a href="#">M6-1-45F</a>	6MM X 1MM FLUSH TYPE / 45 DEGREE SQ. HEX	15		5.5mm	9mm
<a href="#">M6-1-90F</a>	6MM X 1MM FLUSH TYPE / 90 DEGREE SQ. HEX	15	18.0mm	5.5mm	9mm
<a href="#">M8-1-F</a>	8MM X 1MM FLUSH TYPE	15	9.5mm	6.5mm	9mm
<a href="#">M8-1-FB</a>	8MM X 1MM / STRAIGHT (BRASS)	15	9.5mm	6.5mm	9mm
<a href="#">M8-125-F</a>	8MM X 1.25MM FLUSH TYPE	15	9.5mm	6.5mm	9mm
<a href="#">M8-1-FS</a>	8MM X 1MM FLUSH TYPE (STAINLESS STEEL)	15	9.5mm	6.5mm	9mm
<a href="#">M8-1-45F</a>	8MM X 1MM FLUSH TYPE / 45 DEGREE SQ. HEX	15	-	5.5mm	9mm
<a href="#">M8-1-90F</a>	8MM X 1MM FLUSH TYPE / 90 DEGREE SQ. HEX	15	18.0mm	5.5mm	9mm
<a href="#">M10-1-F</a>	10MM X 1MM FLUSH TYPE	15	9.5mm	6.5mm	11mm
<a href="#">M10-1-FB</a>	10MM X 1MM / STRAIGHT (BRASS)	15	9.5mm	6.5mm	11mm
<a href="#">M10-1-FS</a>	10MM X 1MM FLUSH TYPE (STAINLESS STEEL)	15	9.5mm	6.5mm	11mm
<a href="#">M10-15-F</a>	10MM X 1.5MM FLUSH TYPE	15	9.5mm	6.5mm	11mm
<a href="#">M10-1-45F</a>	10MM X 1MM FLUSH TYPE / 45 DEGREE SQ. HEX	15	-	5.5mm	11mm
<a href="#">M10-1-90F</a>	10MM X 1MM FLUSH TYPE / 90 DEGREE SQ. HEX	15	18.0mm	5.5mm	11mm
<a href="#">M12-15-F</a>	12MM X 1.5MM FLUSH TYPE	15	14.0mm	9.5mm	14mm
<a href="#">M12-15-FB</a>	12MM X 1.5MM / STRAIGHT (BRASS)	15	14.0mm	9.5mm	14mm

## Leakproof Grease Fittings




SAE Number	Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">H-200-LP</a>	1/8"-NPT	10	29/32"	25/64"	7/16"	1650	N/A
<a href="#">H-230-LP</a>	1/8"-NPT 30 DEGREE	11	1-7/32"	25/64"	7/16"	1692	N/A
<a href="#">H-290-LP</a>	1/8"-NPT 90 DEGREE	12	31/32"	25/64"	7/16"	1693	N/A
<a href="#">H-200-1634</a>	1/8"-PTF	10	27/32"	23/64"	7/16"	1634	N/A
<a href="#">H-200-1634-B</a>	1/8"-PTF,SURFACE BALL CK	10	1"	33/64"	7/16"	1634-B	N/A
<a href="#">H-100-LP</a>	1/4"-28 TAPER THREAD	10	37/64"	5/16"	7/16"	369619	N/A
<a href="#">CONE-LP</a>	7/16" ROUND, NO THREAD	10	55/64"	N/A	7/16"	369533	N/A

## Standard Button Head Fittings 5/8" Diameter Head



SAE Number	Description	FIG	A	B	X	Alemite #	Lincoln #
<a href="#">H-200-CB</a>	1/8"-NPTF	14	3/4"	23/64"	5/8"	Alemite A1184	5700/5701
<a href="#">H-300-CB</a>	1/4"-NPTF	14	27/32"	7/16"	5/8"	Alemite A1186	5706
<a href="#">H-400-CB</a>	3/8"-NPTF	14	1-1/16"	37/64"	3/4"	Alemite A1188	5711
<a href="#">H-500-CB</a>	1/2"-NPTF	14	1-1/16"	35/64"	7/8"	Alemite A1190	N/A
<a href="#">H-200-CBRI</a>	1/8"-NPTF FEMALE	14	31/32"	13/32"	5/8"	Alemite C-69	N/A
<a href="#">H-200-CB-MON.</a>	1/8"-PTF MONEL	14	3/4"	11/32"	5/8"	Alemite M1184	N/A

## Giant Button Head Fittings 7/8" Diameter Head




<u>SAE Number</u>	<u>Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>C</u>	<u>X</u>
M6-1-CB	6MM X 1MM BUTTON HEAD FITTING	14	16.0mm	6mm	16mm	17mm
M6-1-CB-SS	6MM X 1MM STAINLESS STEEL BUTTON	14	17.0mm	6mm	16mm	17mm
M6-1-CBS	6MM X 1MM BUTTON HEAD FITTING	14	13.5mm	6mm	10mm	11mm
M8-1-CB	8MM X 1MM BUTTON HEAD FITTING	14	17.0mm	6mm	16mm	17mm
M8-1-CB-SS	8MM X 1MM STAINLESS STEEL BUTTON	14	17.0mm	6mm	16mm	17mm
M8-1-CBS	8MM X 1MM BUTTON HEAD FITTING	14	13.5mm	6mm	10mm	11mm
M8-125-CB	8MM X 1.25MM BUTTON HEAD FITTING	14	17.0mm	6mm	16mm	17mm
M8-125-CB-SS	8MM X 1.25MM STAINLESS STEEL BUTTON	14	17.0mm	6mm	16mm	17mm
M10-1-CB	10MM X 1MM BUTTON HEAD FITTING	14	17.0mm	6mm	16mm	17mm
M10-1-CB-SS	10MM X 1MM STAINLESS STEEL BUTTON	14	17.0mm	6mm	16mm	17mm
M10-1-CBS	10MM X 1MM BUTTON HEAD FITTING	14	13.5mm	6mm	10mm	11mm
M10-15-CB	10MM X 1.5MM BUTTON HEAD FITTING	14	17.0mm	6mm	16mm	17mm
M12-15-CB	12MM X 1.5MM BUTTON HEAD FITTING	14	17.0mm	6mm	16mm	17mm
M12-15-CB-SS	12MM X 1.5MM STAINLESS STEEL BUTTON	14	17.0mm	6mm	16mm	17mm
M12-175-CB	12MM X 1.75MM BUTTON HEAD FITTING	14	17.0mm	6mm	16mm	17mm
M12-175-CB-SS	12MM X 1.75MM STAINLESS STEEL BUTTON	14	17.0mm	6mm	16mm	17mm
M14-15-CB	14MM X 1.5MM BUTTON HEAD FITTING	14	17.0mm	6mm	16mm	17mm
M16-15-CB	16MM X 1.5MM BUTTON HEAD FITTING	14	18.0mm	7mm	16mm	17mm
M16-15-CBL	16MM X 1.5MM BUTTON HEAD FITTING	14	21.0mm	7mm	22mm	22mm
M16-15-CBL-HP	16MM X 1.5MM HIGH PRESSURE FITTING	14	32.0mm	12mm	22mm	22mm



# Air Vent Fittings

FIG .13



SAE Number	Description	FIG	Opening Pressure	A	B	Alemite #	Lincoln #
<a href="#">H-200-VENT</a>	1/8" PTF VENT	13	N/A	.78	.28	301370	5698
<a href="#">H-200-300805</a>	1/8" PTF VENT	13	Felt Filter	1.00	.19	300805	N/A
<a href="#">H-200-304810</a>	1/8" PTF VENT	13	1-3" Water	1.00	.19	304810	N/A
<a href="#">K-324970</a>	DRIVE VENT	13	6-12" Water	1.00	0.8	324970	N/A
<a href="#">H-200-131000-T</a>	1/8" PTF VENT	13	12" Water Max.	1.00	.19	131000-T	N/A
<a href="#">H-200-327240</a>	1/8" PTF VENT	13	1 to 1-1/2 psi	1.00	.19	327240	N/A
<a href="#">H-200-330766</a>	1/8" PTF VENT	13	2-1/2 to 4 psi	1.00	.19	330766	N/A

# Pressure Relief Fittings

FIG. 10




FIG. 11





FIG. 12




SAE Number	Description	Min. psi	Max. psi	FIG	A	B	X	Alemite	Lincoln
<a href="#">H-200-317400</a>	1/8"-PTF	1/4	1	10	1/2"	19/64"	7/16"	317400	N/A
<a href="#">H-200-47200</a>	1/8"-PTF	1	5	10	1/2"	19/64"	7/16"	47200	N/A
<a href="#">H-200-5677</a>	1/8"-PTF.	1	5	10	1/2"	19/64"	7/16"	N/A	5677
<a href="#">H-200-47640</a>	1/8"-PTF.	7.5	15	10	1/2"	19/64"	7/16"	47640	N/A
<a href="#">H-200-323060</a>	1/8"-PTF.	15	25	10	1/2"	19/64"	7/16"	323060	N/A
<a href="#">H-200-5678J</a>	1/8"-PTF.	7.5	15	10	12.7	7.1	7/16"	N/A	5678
<a href="#">H-200-47100</a>	1/8"-PTF.	45	80	10	1/2"	19/64"	7/16"	47100	N/A
<a href="#">H-200-50500</a>	1/8"-PTF.	400	650	10	1/2"	19/64"	7/16"	50500	N/A
<a href="#">H-300-47200</a>	1/4"-PTF.	1	5	10	43/64"	27/64"	39/64"	N/A	N/A
<a href="#">K-38-321839</a>	3/8" DRIVE.	1	5	11	1/2"	N/A	N/A	321839	N/A
<a href="#">H-200-338382</a>	1/8"-PTF. LEAKPROOF	80	140	12	9/16"	11/32"	7/16"	338382	N/A




Lubrication & Fluid Handling Solutions

## Standard Flush Fittings



SAE Number	Grease Fitting Description	FIG	A	B	Alemite #	Lincoln #
<a href="#">AH-18F</a>	1/8"-NPTF SLOTTED THREAD	17	23/64"	19/64"	1815	N/A
<a href="#">AH-1032FJ</a>	10-32 U.N.F SLOTTED THRD.	N/A	11/32"	15/64"	N/A	700502A
<a href="#">AH-18FLMA</a>	1/8"-NPTF SLOTTED THREAD	18	17/32"	N/A	1452	N/A
<a href="#">AH-14F</a>	1/4"-NPTF SLOTTED THREAD	19	9/16"	N/A	2741-A	N/A
<a href="#">AH-1428FJ</a>	1/4"-28 U.N.F	20	13/32"	19/64"	1851	700392
<a href="#">AH-316F</a>	3/16"-DRIVE	21	3/8"	5/16"	3036	N/A
<a href="#">AK-18FC</a>	1/8" DRIVE, NO THREAD	22	11/64"	1/8"	1877	700397
<a href="#">AK-18F (NAS-516-1A)</a>	1/8" DRIVE , NO THREAD.	22	CALL FOR INFO		N/A	N/A
<a href="#">AK-18 Monel (NAS-516-M1)</a>	1/8" DRIVE MONEL, NO THRD.	22	CALL FOR INFO		N/A	N/A
<a href="#">AK-14-FJ-1</a>	1/4" DRIVE, NO THREAD	23	CALL FOR INFO		1885	700502
<a href="#">AK-516F</a>	5/16" DRIVE, NO THREAD	23	21/64"	9/32"	1814	N/A


## Brass Flush Type Grease Fittings



SAE Number	Brass Grease Fitting Description	FIG.	A	B	X	Alemite	Lincoln
<a href="#">M6-1-FB</a>	6MM X 1MM / STRAIGHT	15	8.5mm	5.5mm	7mm	NA	NA
<a href="#">M8-1-FB</a>	8MM X 1MM / STRAIGHT	15	9.5mm	6.5mm	9mm	NA	NA
<a href="#">M10-1-FB</a>	10MM X 1MM / STRAIGHT	15	9.5mm	6.5mm	11mm	NA	NA
<a href="#">M12-15-FB</a>	12MM X 1.5MM / STRAIGHT	15	14.0mm	9.5mm	14mm	NA	NA
<a href="#">AK-BSPP-B</a>	1/8"-28 BSPP / STRAIGHT	15	9.5mm	6.5mm	11mm	NA	NA
<a href="#">AH-BSPP-B</a>	1/4"-19 BSPP / STRAIGHT	15	14.0mm	9.5mm	14mm	N/A	N/A

## Metric Flush Type Grease Fittings


FIG 15



<u>SAE Number</u>	<u>Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>
<a href="#">M6-75-F</a>	6MM X .75MM FLUSH TYPE	15	8.5mm	5.5mm	7mm
<a href="#">M6-1-F</a>	6MM X 1MM FLUSH TYPE	15	8.5mm	5.5mm	7mm
<a href="#">M6-1-FS</a>	6MM X 1MM FLUSH TYPE / STAINLESS STEEL	15	8.5mm	5.5mm	7mm
<a href="#">M6-1-45F</a>	6MM X 1MM FLUSH TYPE / 45 DEGREE SQ. HEX	15	-	5.5mm	9mm
<a href="#">M6-1-90F</a>	6MM X 1MM FLUSH TYPE / 90 DEGREE SQ. HEX	15	-	5.5mm	9mm
<a href="#">M8-1-F</a>	8MM X 1MM FLUSH TYPE	15	9.5mm	6.5mm	9mm
<a href="#">M8-125-F</a>	8MM X 1.25MM FLUSH TYPE	15	9.5mm	6.5mm	9mm
<a href="#">M8-1-FS</a>	8MM X 1MM FLUSH TYPE / STAINLESS STEEL	15	9.5mm	6.5mm	9mm
<a href="#">M8-1-45F</a>	8MM X 1MM FLUSH TYPE / 45 DEGREE SQ. HEX	15	-	5.5mm	9mm
<a href="#">M8-1-90F</a>	8MM X 1MM FLUSH TYPE / 90 DEGREE SQ. HEX	15	-	5.5mm	9mm
<a href="#">M10-1-F</a>	10MM X 1MM FLUSH TYPE	15	9.5mm	6.5mm	11mm
<a href="#">M10-15-F</a>	10MM X 1.5MM FLUSH TYPE	15	9.5mm	6.5mm	11mm
<a href="#">M10-1-FS</a>	10MM X 1MM FLUSH TYPE / STAINLESS STEEL	15	9.5mm	6.5mm	11mm
<a href="#">M10-1-45F</a>	10MM X 1MM FLUSH TYPE / 45 DEGREE SQ. HEX	15	-	5.5mm	11mm
<a href="#">M10-1-90F</a>	10MM X 1MM FLUSH TYPE / 90 DEGREE SQ. HEX	15	-	5.5mm	11mm
<a href="#">M12-15-F</a>	12MM X 1.5MM FLUSH TYPE	15	14.0mm	9.5mm	14mm


## Metric Thread Forming Flush Type Fittings

FIG 6




<u>SAE Number</u>	<u>Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>
<a href="#">M6-1-GMF</a>	6MM X 1MM THREAD FORMING FLUSH TYPE	6	8.5mm	5.5mm	7mm
<a href="#">M8-1-GMF</a>	8MM X 1MM THREAD FORMING FLUSH TYPE	6	8.5mm	5.5mm	9mm
<a href="#">M10-1-GMF</a>	10MM X 1MM THREAD FORMING FLUSH TYPE	6	8.5mm	5.5mm	11mm

# BSP Grease Fittings




<b>SAE Number</b>	<b>Grease Fitting Description</b>	<b>FIG</b>	<b>A</b>	<b>B</b>	<b>X</b>
<a href="#">H-200-BSP-PL</a>	1/8"-28 BSP STRIAGHT PLUG	1	8.5mm	5.5mm	11mm
<a href="#">H-200-BSP</a>	1/8"-28 BSP STRAIGHT	1	15mm	5.5mm	11mm
<a href="#">H-200-BSP-B</a>	1/8"-28 BSP STRAIGHT (BRASS)	1	15mm	5.5mm	11mm
<a href="#">H-200-BSP-SS</a>	1/8"-28 BSP STRAIGHT (STAINLESS STEEL)	1	15mm	5.5mm	11mm
<a href="#">H-245-BSP</a>	1/8"-28 BSP 45 DEGREE	2	25mm	5.5mm	11mm
<a href="#">H-245-BSP-B</a>	1/8"-28 BSP 45 DEGREE (BRASS)	2	25mm	5.5mm	11mm
<a href="#">H-245-BSP-SS</a>	1/8"-28 BSP 45 DEGREE (STAINLESS STEEL)	2	25mm	5.5mm	11mm
<a href="#">H-267-BSP</a>	1/8"-28 BSP 67.5 DEGREE	2	22mm	5.5mm	11mm
<a href="#">H-290-BSP</a>	1/8"-28 BSP 90 DEGREE	3	20mm	5.5mm	11mm
<a href="#">H-290-BSP-B</a>	1/8"-28 BSP 90 DEGREE (BRASS)	3	20mm	5.5mm	11mm
<a href="#">H-290-BSP-SS</a>	1/8"-28 BSP 90 DEGREE (STAINLESS STEEL)	3	20mm	5.5mm	11mm
<a href="#">H-300-BSP</a>	1/4"-19 BSP STRAIGHT	1	17.5mm	6.5mm	14mm
<a href="#">H-300-BSP-B</a>	1/4"-19 BSP STRAIGHT (BRASS)	1	17.5mm	6.5mm	14mm
<a href="#">H-300-BSP-SS</a>	1/4"-19 BSP STRAIGHT (STAINLESS STEEL)	1	17.5mm	6.5mm	14mm
<a href="#">H-300-LM-BSP</a>	1/4"-19 BSP STRAIGHT MEDIUM LONG	1	19mm	8mm	14mm
<a href="#">H-345-BSP</a>	1/4"-19 BSP 45 DEGREE	2	22.5mm	6.5mm	14mm
<a href="#">H-345-BSP-B</a>	1/4"-19 BSP /45 DEGREE (BRASS)	1	22.5mm	6.5mm	14mm
<a href="#">H-345-BSP-SS</a>	1/4"-19 BSP 45 DEGREE (STAINLESS STEEL)	2	22.5mm	6.5mm	14mm
<a href="#">H-367-BSP</a>	1/4"-19 BSP 67.5 DEGREE	2	25mm	8.7mm	14mm
<a href="#">H-390-BSP</a>	1/4"-19 BSP 90 DEGREE	3	22mm	6.5mm	14mm
<a href="#">H-390-BSP-SS</a>	1/4"-19 BSP 90 DEGREE (STAINLESS STEEL)	3	22mm	6.5mm	14mm
<a href="#">H-400-BSP</a>	3/8"-19 BSP STRAIGHT	1	18mm	7mm	17mm
<a href="#">H-445-BSP</a>	3/8"-19 BSP 45 DEGREE	2	25.5mm	7mm	17mm
<a href="#">H-490-BSP</a>	3/8"-19 BSP 90 DEGREE	3	20mm	7mm	17mm

# BSF Grease Fittings




<u>SAE Number</u>	<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>
<a href="#">H-100-BSF</a>	1/4"-26 BSF STRAIGHT	1	15mm	5.5mm	7mm
<a href="#">H-100-LM-BSF</a>	1/4"-26 BSF STRAIGHT MEDIUM LONG	1	17.3mm	8.5mm	7mm
<a href="#">H-100-LA-BSF</a>	1/4"-26 BSF STRAIGHT LONG	1	24mm	14mm	7mm
<a href="#">H-100-LLA-BSF</a>	1/4"-26 BSF STRAIGHT VERY LONG	1	29mm	21mm	7mm
<a href="#">H-145-BSF</a>	1/4"-26 BSF 45 DEGREE	2	23.5mm	5.5mm	9mm
<a href="#">H-167-BSF</a>	1/4"-26 BSF 67.5 DEGREE	2	19mm	5mm	9.5mm
<a href="#">H-190-BSF</a>	1/4"-26 BSF 90 DEGREE	4	18mm	5.5mm	9mm
<a href="#">H-516-BSF</a>	5/16"-22 BSF STRAIGHT	1	15mm	5.5mm	9mm
<a href="#">H-516-45-BSF</a>	5/16"-22 BSF 45 DEGREE	2	23.5mm	5.5mm	9mm
<a href="#">H-516-67-BSF</a>	5/16"-22 BSF 67.5 DEGREE	2	19.8mm	5.5mm	9.5mm
<a href="#">H-516-90-BSF</a>	5/16"-22 BSF 90 DEGREE	3	18mm	5.5mm	9mm
<a href="#">H-400-BSF</a>	3/8"-20 BSF STRAIGHT	1	15mm	5.5mm	11mm
<a href="#">H-445-BSF</a>	3/8"-20 BSF 45 DEGREE	2	25mm	5.5mm	11mm
<a href="#">H-490-BSF</a>	3/8"-20 BSF 90 DEGREE	3	20mm	5.5mm	11mm
<a href="#">H-100-BSF-SS</a>	1/4"-26 BSF STRAIGHT (STAINLESS STEEL)	1	15mm	5.5mm	7mm
<a href="#">H-145-BSF-SS</a>	1/4"-26 BSF 45 DEGREE (STAINLESS STEEL)	2	23.5mm	5.5mm	9mm
<a href="#">H-190-BSF-SS</a>	1/4"-26 BSF 90 DEGREE (STAINLESS STEEL)	3	18mm	5.5mm	9mm

## BSPG Grease Fittings Button Head




SAE Number	Grease Fitting Description	FIG	A	B	X
<a href="#">H-200-CCB-BSPP</a>	1/8"-28 BSPP BUTTONHEAD	29	13.5mm	6mm	11mm
<a href="#">H-200-CB-BSPP</a>	1/8"-28 BSPP BUTTON HEAD	29	17mm	6mm	17mm
<a href="#">H-300-CB-BSPP</a>	1/4"-19 BSPP BUTTONHEAD	29	17mm	6mm	17mm
<a href="#">H-300-CB-LM-BSPP</a>	1/4"-19 BSPP BUTTONHEAD	29	21mm	7mm	22mm
<a href="#">H-400-CB-BSPP</a>	3/8"-19 BSPP BUTTONHEAD	29	18mm	7mm	17mm
<a href="#">H-400-CB-LM-BSPP</a>	3/8"-19 BSPP BUTTONHEAD LONG	29	21mm	7mm	22mm
<a href="#">H-200-CB-BSPP-SS</a>	1/8"-28 BSPP BUTTON HEAD (STAINLESS STEEL)	29	17mm	6mm	17mm
<a href="#">H-300-CB-BSPP-SS</a>	1/4"-19 BSPP BUTTONHEAD (STAINLESS STEEL)	29	17mm	6mm	17mm
<a href="#">H-300-CB-LM-BSPP-SS</a>	1/4"-19 BSPP BUTTONHEAD (STAINLESS STEEL)	29	21mm	7mm	22mm
<a href="#">H-400-CB-BSPP-SS</a>	3/8"-19 BSPP BUTTONHEAD (STAINLESS STEEL)	29	18mm	7mm	17mm

## BSPG Grease Fittings Flush Type



SAE Number	Grease Fitting Description	FIG	A	B	X
<a href="#">AK-BSPP</a>	1/8"-28 BSPP FLUSH FITTING	26	9.5mm	6.5mm	11mm
<a href="#">AK-BSPP-B</a>	1/8"-28 BSPP FLUSH FITTING (BRASS)	26	9.5mm	6.5mm	11mm
<a href="#">AK-BSPP-SS</a>	1/8"-28 BSPP FLUSH FITTING (STAINLESS STEEL)	26	9.5mm	6.5mm	11mm
<a href="#">AK-45-BSP</a>	1/8"-28 BSP 45 DEGREE FLUSH FITTING	28	18mm	5.5mm	11mm
<a href="#">AK-90-BSP</a>	1/8"-28 BSP 90 DEGREE FLUSH FITTING	27	18mm	5.5mm	11mm
<a href="#">AH-BSPP</a>	1/4"-29 BSPP FLUSH FITTING	26	14mm	9.5mm	14mm
<a href="#">AH-BSPP-B</a>	1/4"-19 BSPP FLUSH FITTING (BRASS)	26	14mm	9.5mm	14mm
<a href="#">AH-45-BSP</a>	1/4"-29 BSP 45 DEGREE FLUSH FITTING	28		6.5mm	14mm
<a href="#">AF-400-BSPP</a>	3/8"-19 BSPP FLUSH FITTING	26	14mm	9.5mm	17mm

# Special Thread Grease Fittings



<u>SAE Number</u>			<u>Grease Fitting Description</u>	<u>FIG</u>	<u>A</u>	<u>B</u>	<u>X</u>
<a href="#">H-38-24</a>	3/8"-24 UNF-2A THREAD STR.	1	21/32"	17/64"	7/16"	N/A	N/A
<a href="#">H-1032</a>	10-32 UNF-2A THREAD STR.	1	1/2"	1/8"	1/4"	3016	N/A
<a href="#">H-640</a>	6-40 UNF-2A STRAIGHT	1	1/2"	9/64"	1/4"	3018	N/A
<a href="#">H-51624</a>	5/16"-24 UNF-2A STRAIGHT	1	21/32"	1/4"	3/8"	1711-B	5061
<a href="#">H-51632</a>	5/16"-32 UNEF- 2A STRAIGHT	1	21/32"	7/32"	3/8"	1631-B	N/A
<a href="#">H-5163265</a>	5/16"-32 UNEF- 2A, 65 DEGREE	2	51/64"	7/32"	3/8"	1648-B1	N/A