

## 19.2 Volt Battery Operated Grease Gun



F4018 Complete Kit

### Features

- Two high-capacity NiCad batteries
- One-hour battery quick charge
- Fill with standard grease cartridge or bulk load
- High pressure flexible whip hose with spring guard
- Ergonomic grip
- Heavy-duty four jaw coupler
- High pressure safety motor override
- Air bleeder valve
- Sturdy carrying case
- Shoulder Strap

- Charger Input Power - 120 VAC
- Battery Output Power – 19.2 VDC
- Battery Capacity – 1300 mAh
- Battery Charge Time – 1 hour quick Charge
- Maximum Operating Pressure – 8,500 psi
- Grease Barrel Capacity – 14.5 oz.
- Hose Size – 30 " long
- Switch – Trigger Type
- LED Function – ON/OFF
- Weight – 12.10 lb.

### How to Order

**Part No. NS-912-19L** - Kit with grease gun, two batteries, one charger and carrying case.

**Part No. NS-91201-19L** – Spare battery (19.2 VDC)

**Part No. NS-91202-19L** – Battery charger (110 VAC)

## Air Operated Grease Guns



**Part No. 911** - Single Shot Air operated pistol grip grease gun. 40:1 pressure ratio. Maximum pressure 4,000 psi. 75 to 100 psi inlet pressure. Delivers .60 oz per 40 strokes. Heavy duty aluminum die cast head with bulk loader valve. Internal bore precision honed for rapid action. Single shot operation.







**Part No. 914** - Continuous Flow Air operated pistol grip grease gun. 40:1 pressure ratio. Maximum pressure 4,000 psi. 75 to 100 psi inlet pressure. Delivers .60 oz per 40 strokes. Heavy duty aluminum die cast head with bulk loader valve.



Applied  
Lubrication  
Technology Inc.

**Lubrication & Fluid Handling Solutions**

## Standard Duty Lever Type Grease Guns

Model Number	Model Number	Accessories	Specifications
	<b>419</b> Lever grease gun Powder coated barrel	4 ½" rigid extension (55) standard coupler (27SP)	Max. Pressure 7,000 p.s.i. 1 oz. per 28 strokes 14 ½ oz. cartridge Cartridge suction or bulk loading Air release ½ turn of head assembly.
	<b>420</b> Lever grease gun Powder coated barrel	12" whip hose (12R) standard coupler (27SP)	Max. Pressure 7,000 p.s.i. 1 oz. per 28 strokes 14 ½ oz. cartridge Cartridge suction or bulk loading Air release ½ turn of head assembly.
	<b>410</b> Lever grease gun Zinc plated barrel Cast aluminum head	4 ½" rigid extension (55) standard coupler (27SP)	Max. Pressure 7,000 p.s.i. 1 oz. per 28 strokes 14 ½ oz. cartridge Cartridge suction or bulk loading Air release ½ turn of head assembly.
	<b>413</b> Lever grease gun Zinc plated barrel Cast aluminum head	12" whip hose (12R) standard coupler (27SP)	Max. Pressure 7,000 p.s.i. 1 oz. per 28 strokes 14 ½ oz. cartridge Cartridge suction or bulk loading Air release ½ turn of head assembly.
	<b>415</b> Lever grease gun Chrome plated barrel Cast aluminum head	4 ½" rigid extension (55) standard coupler (27SP)	Max. Pressure 7,000 p.s.i. 1 oz. per 28 strokes 14 ½ oz. cartridge Cartridge suction or bulk loading Air release ½ turn of head assembly.
	<b>414</b> Lever grease gun Chrome plated barrel Cast aluminum head	12" whip hose (12R) standard coupler (27SP)	Max. Pressure 7,000 p.s.i. 1 oz. per 28 strokes 14 ½ oz. cartridge Cartridge suction or bulk loading Air release ½ turn of head assembly.







Applied  
Lubrication  
Technology Inc.





**Lubrication & Fluid Handling Solutions**

12 French Drive, Orangeville, ON Technical Sales Bob Lewis Cell: (519) 658-3204 E-Mail: bob@appliedlubrication.com





# Heavy Duty Lever Type Grease Guns

Model Number	Model Number	Accessories	Specifications
	<p><b>HD4</b> 10,000 PSI Variable Stroke Grease Gun Short stroke for ease of use in confined areas.</p>	6" rigid extension (55) coupler (27SP)	<p>Maximum 10,000 PSI 1 oz. per 28 strokes Powder Coated Rubber Grip 14 ½ oz. cartridge Cartridge, suction or bulk loading Heavy duty head with filler nipple</p>
	<p><b>HD4A</b> 10,000 PSI Variable Stroke Grease Gun Short stroke for ease of use in confined areas.</p>	12" whip hose (12R) coupler (27SP)	<p>Maximum 10,000 PSI 1 oz. per 28 strokes Powder Coated Rubber Grip 14 ½ oz. cartridge Cartridge, suction or bulk loading Heavy duty head with filler nipple</p>
	<p><b>4015-A4</b> <b>4015-A4</b> High Output Grease Gun</p>	Rigid extension & coupler	<p>Maximum 1,800 PSI 1 oz. per 7 strokes Rubber grip Barrel capacity; <b>4015-A4 16 oz.</b> <b>4015-B4 24 oz.</b> Cartridge, suction or bulk loading Heavy duty head</p>
	<p><b>1056-S4</b> <b>1056-SE4</b> <b>1056-LE4</b> Dual Lever Grease Gun Provides either high pressure output or high volume output by changing the position of the lever mechanism.</p>	<p>No extension on 1056-S4 Rigid extension &amp; coupler on 1056-SE4 1056-LE4</p>	<p>Maximum 10,000 PSI <b>High Volume Mode:</b> 1 oz. per 16 strokes <b>High Pressure Mode:</b> 1 oz. per 25 strokes. Rubber grip <b>Barrel capacity;</b> 1056-S4 16 oz. 1056-SE4 16 oz. 1056-LE4 24 oz. Cartridge, suction or bulk loading Heavy duty head</p>





## Heavy Duty Lever Type Grease Guns

Model Number	Model Number	Accessories	Specifications
	<p style="text-align: center;"><b>6243-J3</b> Heavy Duty Lever Type High pressure grease gun Heavy duty lever</p>	<p style="text-align: center;">Check valve and loader fitting</p>	<p>Maximum 10,000 PSI 1 oz. per 20 strokes Zinc plated barrel Heavy duty lever 24 oz. bulk Fill through loader fitting with loader pump. Cast iron head with filler nipple</p>
	<p style="text-align: center;"><b>6243-J3E</b> Heavy Duty Lever Type High pressure grease gun Heavy duty lever</p>	<p style="text-align: center;">Rigid extension, coupler and loader fitting</p>	<p>Maximum 10,000 PSI 1 oz. per 20 strokes Zinc plated barrel Heavy duty lever 24 oz. bulk Fill through loader fitting with loader pump. Cast iron head with filler nipple</p>
	<p style="text-align: center;"><b>6679-J3</b> Heavy Duty Lever Type High pressure grease gun Heavy duty lever</p>	<p style="text-align: center;">Check valve and loader fitting</p>	<p>Maximum 5,000 PSI 1 oz. per 10 strokes Zinc plated barrel Heavy duty lever 24 oz. bulk Fill through loader fitting with loader pump. Cast iron head with filler nipple</p>
	<p style="text-align: center;"><b>6679-J3E</b> Heavy Duty Lever Type High pressure grease gun Heavy duty lever</p>	<p style="text-align: center;">Rigid extension, coupler and loader fitting</p>	<p>Maximum 5,000 PSI 1 oz. per 10 strokes Zinc plated barrel Heavy duty lever 24 oz. bulk Fill through loader fitting with loader pump. Cast iron head with filler nipple</p>






# Standard Duty Pistol Grip Grease Guns

Model Number	Model Number	Accessories	Specifications
	<b>619</b> Pistol grip grease gun Powder coated barrel	4" rigid extension (59004) standard coupler (27SP)	Max. Pressure 5,000 p.s.i. 1 oz. per 40 strokes 14 ½ oz. cartridge Cartridge suction or bulk loading Air release ½ turn of head assembly.
	<b>620</b> Lever grease gun Powder coated barrel	12" whip hose (12R) standard coupler (27SP)	Max. Pressure 5,000 p.s.i. 1 oz. per 40 strokes 14 ½ oz. cartridge Cartridge suction or bulk loading Air release ½ turn of head assembly.
	<b>610</b> Pistol grip grease gun Zinc plated barrel	4" rigid extension (59004) standard coupler (27SP)	Max. Pressure 5,000 p.s.i. 1 oz. per 40 strokes 14 ½ oz. cartridge Cartridge suction or bulk loading Air release ½ turn of head assembly.
	<b>613</b> Lever grease gun Zinc plated barrel	12" whip hose (12R) standard coupler (27SP)	Max. Pressure 5,000 p.s.i. 1 oz. per 40 strokes 14 ½ oz. cartridge Cartridge suction or bulk loading Air release ½ turn of head assembly.

# Standard Duty Pistol Grip Grease Guns

Model Number	Model Number	Accessories	Specifications
  <p data-bbox="456 1014 678 1062">&lt; ADJUSTABLE SETTING HI PRESSURE / HI VOLUME</p>	<p data-bbox="678 394 735 422"><b>609</b></p> <p data-bbox="561 432 850 600">Dual pressure pistol grip grease gun. High Pressure or High Volume Powder coated barrel</p>	<p data-bbox="930 394 1133 562">Whip hose (18R) standard coupler (27SP) standard coupler (27SP)</p>  <p data-bbox="948 982 1166 1052">Threadless Quick Load barrel</p>	<p data-bbox="1206 384 1503 688">Threadless barrel Max. Pressure 7,000 p.s.i. 1 oz. per 31 strokes 14 ½ oz. cartridge Cartridge suction or bulk loading Air release ½ turn of head assembly.</p>
 <div data-bbox="399 1472 745 1650" style="border: 1px solid black; padding: 5px;"> <p data-bbox="415 1482 716 1640">Incorporates two discharge ports. Front discharge port for regular greasing. Front discharge port for hard to reach fittings</p> </div>	<p data-bbox="662 1220 719 1247"><b>609</b></p> <p data-bbox="537 1257 846 1425">Grease gun for 3 oz. cartridges. Fits easily into storage compartment or tool box. Zinc plated barrel</p>	<p data-bbox="906 1236 1122 1304">4" rigid extension and coupler.</p> <p data-bbox="898 1341 1130 1478"><b>Optional Accessories:</b> 12" whip hose with coupler (P/N 16)</p> <p data-bbox="898 1516 1130 1614">Package of (3) 3 oz. tubes of lithium grease (P/N 35)</p>	<p data-bbox="1179 1236 1482 1304">Max. Pressure 3,000 p.s.i. Cartridge or bulk loading</p>

# Special Purpose Grease Guns

Model Number	Model Number	Accessories	Specifications
	<p><b>7584</b> <b>7584-F</b> <b>7584-Z</b></p> <p>Push type grease gun for hydraulic and flush type fittings.</p>	<p>7584 – Hydraulic coupler (308730) 7584-F F flush fitting nozzle (Z737) 7584-Z push type nozzle (Z334)</p>	<p>Max. Pressure 4,200 p.s.i. Fast volume deliver 9 Oz. capacity</p>
	<p><b>340160</b></p> <p>Reservoir filler gun.</p>	<p>The 340160 is a rotary driven gun ideal for refilling automatic lubrication reservoirs. This fast, lightweight and convenient grease dispenser is powered by an electric drill.</p> <p>Features:</p> <ul style="list-style-type: none"> <li>- Discharge grease cartridge in under one minute at 1,100 psi.</li> <li>- Automatic shut-off</li> <li>- Works with most electric drills.</li> </ul>	
	<p><b>F107</b> <b>F107-M</b></p> <p>Push type disposable grease guns.</p>	<p>3700 p.s.i. Pressure capability Delivers up to 2 oz. of NLGI #2 grease Versatile one hand operation Universal nozzle for standard grease fittings Disposable – simply throw it away when empty. Ideal for toolboxes Order quantity - 24</p>	
	<p><b>101</b></p> <p><b>Suction Gun</b></p>	<p>17 oz. capacity 12" clear vinyl hose Powder coated construction Buna-N seal</p> <p>NOTE: Not recommended for use with fuels, water based fluids or other corrosive fluids.</p>	
	<p><b>186</b></p> <p><b>Grease Fitting Cleaner</b></p> <p>Hand operated grease fitting cleaner for unstopping clogged grease fittings.</p>	<p>A light viscosity oil is injected into the clogged fitting, loosening the grease and allowing the new grease to enter.</p>	<p>Includes: Grease coupler (27) Plated steel body Includes 5" flex. hose.</p>